


Improving laser material processing with freeform beam shaping

Roy McBride, Managing Director, PowerPhotonic Ltd





Company overview

Summary

- Freeform design and manufacture of precision fused silica micro-optics
- 35 staff
- Class 1000 cleanroom fabrication
- Shipping freeform micro-optics since 2006

Technology Leadership

- Proprietary patented laser direct-write process
- One process from prototype to volume
- 24/7 lights-out automated production
- Class-leading performance







Applications of laser beamshaping

PowerPhotonic

Industrial

- Macro-processing: cutting, welding, cladding and additive manufacturing
- Micro-processing: micro-ablation, marking, drilling
- Wafer & glass processing: cutting, annealing, laser lift-off

Imaging

- Laser projection display
- Advanced microscopy

Defence

- Target illumination
- LDEW

Scientific

- High energy pump sources
- Optical tweezers

Medical

- Skin treatment
- Tattoo removal














Requirements for high performance

PowerPhotonic

- Free choice of input beam
 - Source beam shape and profile
 - Source spatial coherence
- Precise control of output beam
 - Precise control of beam shape and profile
 - Defined by application, not laser source
- High efficiency
 - Low scatter & absorption loss
- High power and fluence handling
 - Multi-kW CW
 - Multi-joule ns, ps, fs












Freeform, direct-write optical fabrication


PowerPhotonic

Free choice of surface profile











Laser beamshaping: optical configuration


PowerPhotonic

Typical system

- Beamshaper generates far-field (angular distribution)
- Lens images far-field profile onto near-field at process plane

Design starts with beam properties


- Source spatial coherence drives beam shaper type
- Input and output beam profiles drive detailed design






Singlemode and multimode beamshaping


PowerPhotonic







Beam Shaping Options & Examples






Rapid prototyping of freeform optics


Key Features

- Upload design to server
- WYSIWYG
- 2 week typical turnaround
- Fixed menu pricing (<\$3k per part)</p>
- 15x15mm CA, fixed design rules
- AR coating and mounting option available
- From Zemax to LightForge in one simple step

Benefits

Industry's lowest cost and fastest custom freeform fabrication service







High volume freeform optics


PowerPhotonic

- Partner in Phabulous pilot line
- www.Phabulous.eu

A new era for free-form micro-optics

Free-form Micro-optics are micro-optical components:

- · Designed with no symmetry constraints
- Enabled by innovative modelling
- Requiring ultra-precision machining




Innovative technology with various advantages

- New functionalities with aberration reduction
- Miniaturization & integration
- Low-weight & Large-area
- Flexibility & Conformability
- Low-cost mass manufacturing
- System simplification

Challenging technology

- - Tooling
- Replication

- Integration





Freeform beamshaping – working with you

PowerPhotonic

What can PowerPhotonic do for you?

- Application-specific beamshapers tailored to
 - Source properties
 - Process requirements
- Used with broad range of lasers
 - CW to fs
 - UV to NIR
- High power handling, high efficiency
 - mW to multi-kW CW
 - mJ to multi-J pulsed

How can you help PowerPhotonic?

- Metrology solutions
 - Surface metrology
 - Functional performance
- Manufacturing processes
 - Blockers on freeform surfaces
 - Module assembly
- New applications
 - Material processing requirements
 - Beam profile requirements
 - Systems/modules concepts

Ideas? Problems? Solutions? Ask now, or contact us later!



